


- GENERAL ELEVATION NOTES**
- 1.0 ALL WINDOW HDR. HTS. LOWER FLOOR TO BE 8'-0" A.F.F. UNLESS NOTED OTHERWISE ON FLOOR PLANS. ALL WINDOW HDR. HTS. UPPER FLOOR TO BE 6'-8" A.F.F. UNLESS NOTED OTHERWISE ON FLOOR PLANS.
 - 2.0 MAXIMUM 18" EXPOSED FOUNDATION ABOVE FINISHED GRADE OR PER SUBDIVISION REQUIREMENTS.
 - 3.0 GRADE LINES SHOWN ON ELEVATION DRAWINGS SHALL NOT BE CONSIDERED TO REPRESENT ACTUAL FINISH GRADES. VERIFY FINISH GRADE ON JOB SITE.
 - 4.0 ACTUAL ELEVATIONS TO VARY PER GRADE OF EXISTING LOT.
 - 5.0 ALL PLUMBING, APPLIANCE AND GAS VENTS TO BE GANGED TO THE FEWEST NUMBER POSSIBLE PENETRATING THE ROOF AND KEPT TO REAR OF ROOF WHEREVER POSSIBLE.
 - 6.0 CHIMNEY/FLUE SHOWN AT MINIMUM DIMENSIONAL HEIGHT REQUIREMENTS PER CODE. BUILDER RESPONSIBLE FOR CONSTRUCTING CHIMNEY/FLUE TO ENSURE PROPER DRAW FOR FIREPLACE BASED ON HOUSE & SITE ORIENTATION VERSUS PREVAILING WINDS.


- GENERAL PROJECT NOTES**
- 1.0 THESE CONSTRUCTION DOCUMENTS ARE INTENDED TO MEET ALL APPLICABLE CODES AND ORDINANCES. CONTRACTOR TO COMPLY WITH ALL LOCAL CODES, ORDINANCES AND DEED RESTRICTIONS. CONTRACTOR SHALL ALSO REQUIRE ALL SUBCONTRACTORS TO COMPLY WITH THESE REGULATIONS.
 - 2.0 ANY DISCREPANCIES IN CONSTRUCTION DOCUMENTS OR NON-COMPLIANCE TO BE BROUGHT TO THE ATTENTION OF THE DESIGNER PRIOR TO ANY WORK BEING PERFORMED OR MATERIALS BEING ORDERED. BUILDER ACCEPTS FULL RESPONSIBILITY FOR CHECKING PLANS TO ASSURE CONFORMITY TO CURRENT LOCAL BUILDING CODES. SHOULD ANY CHANGES BE MADE TO THESE PLANS BY BUILDER OR HIS REPRESENTATIVES WITHOUT CONTACTING THE DESIGNER, THE BUILDER WILL ACCEPT FULL LIABILITY FOR AMENDED PLANS.
 - 3.0 WHILE THESE DRAWINGS ARE INTENDED TO SHOW SAME, THE DESIGNER IS NOT RESPONSIBLE FOR GOVERNING AUTHORITY INTERPRETATIONS WHERE THOSE INTERPRETATIONS CONFLICT WITH THESE DRAWINGS &/OR SPECS.
 - 4.0 THESE DRAWINGS HAVE NOT BEEN DRAWN BY A REGISTERED ARCHITECT.
 - 5.0 THESE DRAWINGS/SPECS ARE INSTRUMENTS OF SERVICE AND SHALL REMAIN THE PROPERTY OF THE DESIGNER WHETHER THE PROJECT IS EXECUTED OR NOT. THESE DRAWINGS SHALL NOT BE USED BY THE CLIENT FOR OTHER PROJECTS, FOR ADDITIONS TO THIS PROJECT, OR FOR COMPLETION OF THIS PROJECT BY OTHERS WITHOUT PERMISSION OF THE DESIGNER.
 - 6.0 THESE DOCUMENTS DO NOT SHOW TYPICAL DETAILING &/OR WATERPROOFING.
 - 7.0 THESE DOCUMENTS DO NOT SPECIFY ACTUAL PRODUCTS OR MATERIAL SELECTIONS. CONTRACTOR ACCEPTS FULL RESPONSIBILITY FOR APPROPRIATE AND PROPER DETAILING FOR AND BETWEEN ALL ACTUAL PRODUCTS/MATERIALS SELECTED WHEN INSTALLED.
 - 8.0 ALL COMPONENTS, MATERIALS, ASSEMBLIES AND FINISHES TO BE CONSTRUCTED AND INSTALLED PER MANUFACTURER'S RECOMMENDATIONS, CODE REQUIREMENTS AND REGULATED BUILDING PRACTICES.
 - 9.0 DESIGNER IS NOT RESPONSIBLE FOR MEANS AND METHODS OF CONSTRUCTION WHICH ARE NOT DETAILED IN THESE CONSTRUCTION DOCUMENTS. CONTRACTOR WILL BE RESPONSIBLE FOR ALL ASPECTS OF CONSTRUCTION INCLUDING BUT NOT LIMITED TO ALL WATER AND DAMP PROOFING, LOAD CONNECTIONS AND MECHANICAL, ELECTRICAL AND PLUMBING SYSTEMS.

- GENERAL PLAN NOTES**
- 1.0 ALL WINDOWS WILL BE DIMENSIONED TO CENTER LINE UNLESS OTHERWISE NOTED. GLASS SIZE PER MFR. SPECS.
 - 2.0 ALL WINDOWS WITHIN 24" OF AN EXTERIOR OR INTERIOR DOOR TO BE TEMPERED GLASS. WINDOW MANUFACTURER TO VERIFY FOR ALL TEMPERED GLASS LOCATIONS AS PER APPLICABLE CODE.
 - 3.0 ALL HINGED SHOWER DOORS SHALL SWING OUTWARD. GLAZING USED IN DOORS AND PANELS OF BATHUB/SHOWER ENCLOSURES AND BUILDING WALLS ENCLOSING THESE COMPARTMENTS SHALL BE FULL TEMPERED OR LAMINATED SAFETY GLASS.
 - 4.0 WINDOW MANUFACTURER & BUILDER TO VERIFY EGRESSIBLE WINDOWS INSTALLED WHERE REQUIRED BY CODE.
 - 5.0 PROVIDE BLOCKING FOR CEILING FANS WHERE SPECIFIED.
 - 6.0 PROVIDE ELECTRIC FOR POOL &/OR SPA EQUIP. & LIGHTS. PROVIDE NECESSARY PLUMBING FOR POOL &/OR SPA. VERIFY LOCATION WITH BUILDER OR OWNER.
 - 7.0 BUILDER TO VERIFY SIZING AND LOCATION OF ALL APPLIANCES & RELATED COMPONENTS.
 - 8.0 WEATHERSTRIP ATTIC ACCESS DOOR(S).
 - 9.0 CONTRACTOR TO PROVIDE A 3/4" PLYWOOD CATWALK FROM ATTIC ACCESS TO HVAC UNITS (IF APPLICABLE). UNITS TO BE LOCATED WITHIN 20'-0" OF ACCESS.
 - 10.0 PROVIDE 1 S.F. NET FREE AREA OF ATTIC VENTILATION PER 150 S.F. OF TOTAL COVERED ROOF AREA AS PER CODE.
 - 11.0 IF PLATE HEIGHT IS 10'-0" OR HIGHER, ALL DOORS AND CASED OPENINGS TO BE 8'-0" HT. UNLESS NOTED OTHERWISE. IF PLATE HEIGHT IS 8'-0" OR LESS, ALL DOORS AND CASED OPENINGS TO BE 6'-8" HT. UNLESS NOTED OTHERWISE. EXCEPTION, IF A 7'-0" HT. DOOR IS USED ADJUST WINDOWS TO 7'-0" HEADER HT.


- 12.0 ALL MATERIALS AND LABOR TO BE GUARANTEED FOR ONE YEAR FROM THE DATE OF FINAL PAYMENT. IN ADDITION TO ALL WARRANTIES THAT ARE STANDARD TO THE INDUSTRY, CONTRACTOR TO PROVIDE (SUPPLY AND INSTALL) ALL EQUIPMENT, LABOR SERVICES, AND MATERIALS REQUIRED FOR THE COMPLETE APPROVED INSTALLATION OF THE SYSTEMS CALLED FOR.
- 13.0 THESE DRAWINGS DO NOT INCLUDE NECESSARY COMPONENTS FOR CONSTRUCTION SAFETY. THE CONTRACTOR IS RESPONSIBLE FOR INITIATING, MAINTAINING AND SUPERVISING ALL SAFETY PRECAUTIONS AND PROGRAMS NECESSARY FOR COMPLETION OF WORK.
- 14.0 ALL DIMENSIONS TO BE VERIFIED IN THE FIELD. REPORT ANY AND ALL DISCREPANCIES, ERRORS OR OMISSIONS TO THE DESIGNER PRIOR TO COMMENCING WORK AND/OR ORDERING MATERIALS. MINOR DEVIATIONS, SUBJECT TO CONSTRUCTION REQUIREMENTS AND FIELD CONDITIONS, CAN BE EXPECTED.
- 15.0 UNDER NO CIRCUMSTANCES SHALL ANY DIMENSION BE SCALED FROM THESE DRAWINGS. ANY CRUCIAL DIMENSION NOT GIVEN SHALL BE BROUGHT TO THE ATTENTION OF THE DESIGNER.
- 16.0 ALL DIMENSIONS SHOWN ON PLAN ARE TO THE STRUCTURAL FACE OF WALL AND DO NOT INCLUDE WALL FINISHES OR FURRING.
- 17.0 THE CONTRACTOR SHALL GIVE NOTICE TO ALL AUTHORIZED INSPECTORS, SUPERINTENDENTS OR PERSONS IN CHARGE OF UTILITIES AFFECTED BY HIS OPERATIONS PRIOR TO COMMENCING WORK.
- 18.0 THE CONTRACTOR IS TO FILE FOR, AND SECURE ALL APPROVALS, PERMITS, TESTS, INSPECTIONS AND CERTIFICATES OF COMPLIANCE AS REQUIRED. THE CONTRACTOR IS RESPONSIBLE FOR ASSURING THAT ALL PERMITS NECESSARY TO LEGALLY PERFORM THE WORK HAVE BEEN OBTAINED PRIOR TO COMMENCING CONSTRUCTION.
- 19.0 VERIFY EXISTING CONDITIONS AND DIMENSIONS PRIOR TO CONSTRUCTION START.
- 20.0 IN CASE OF DISCREPANCIES OR CONFLICTS ON THE DRAWINGS AND SPECIFICATIONS, OR BETWEEN THE DRAWINGS AND THE EXISTING CONDITIONS, CONTACT THE DESIGNER OR OWNER BEFORE PROCEEDING WITH THE WORK.
- 21.0 CONTRACTOR SHALL CLEAN UP CONSTRUCTION AREAS AFFECTED BY DAILY WORK AND MAINTAIN A CLEAN AND ORDERLY WORK AREA AT ALL TIMES. REMOVE MATERIALS TO APPROVED DUMP SITES ONLY.




FRONT ELEVATION
SCALE 1/4" = 1'-0"



RIGHT ELEVATION
SCALE 1/4" = 1'-0"




REAR ELEVATION
SCALE 1/4" = 1'-0"




LEFT ELEVATION
SCALE 1/4" = 1'-0"

GENERAL ROOF LAYOUT NOTES:

- 1.0 PITCHES TO BE AS NOTED ON PLANS.
- 2.0 HIPs, VALLEYS & RIDGES TO BE FRAMED ONE SIZE LARGER THAN RAFTERS.
- 3.0 ALL PLUMBING, APPLIANCE AND GAS VENTS TO VENT TO REAR OF ROOF RIDGE WHEREVER POSSIBLE. ALL VENTS TO BE GANGED TO THE FEWEST NUMBER POSSIBLE PENETRATING THE ROOF.
- 4.0 ALL OVERHANGS TO BE 24" FROM THE FRAME WALL UNLESS NOTED OTHERWISE.
- 5.0 U.N.O. ALL INTERIOR WALLS OF ONE STORY PLANS TO BE LOAD BEARING.
- 6.0 HATCHED AREAS INDICATE LOAD BEARING POINTS OR WALLS THAT STACK. ADDITIONAL LOAD BEARING POINTS MAY BE REQUIRED AND MUST BE CALCULATED WHEN FLOOR SYSTEM IS ENGINEERED.
- 7.0 ALL EXTERIOR OPENINGS TO BE LOAD BEARING.
- 8.0 WHEN ENGINEERED TRUSSES TO BE USED TRUSS DESIGN & SPACING TO BE PER ENGINEER'S SPECIFICATIONS.
- 9.0 ALL WALLS OVER 10'-0" IN HEIGHT TO BE FRAMED WITH 2X6 STUDS. IF WALLS OVER 10'-0" IN HEIGHT ARE NOT BUILT WITH 2X6 STUDS THEY MUST BE BUILT WITH DOUBLE 2X4 STUDS AT 12" O.C.
- 10.0 BUILDER ACCEPTS FULL RESPONSIBILITY FOR CHECKING PLANS TO ASSURE CONFORMITY TO CURRENT LOCAL BUILDING CODES. SHOULD ANY CHANGES BE MADE TO THESE PLANS BY BUILDER OR HIS REPRESENTATIVES WITHOUT CONTACTING THE DESIGNER, THE BUILDER WILL ACCEPT FULL LIABILITY FOR AMENDED PLANS.
- 11.0 ALL LOAD BEARING HEADERS & CONCEALED OR DROPPED BEAMS TO BE DESIGNED PER ENGINEER OR BUILDER.



ROOF OUTLINE
SCALE 1/4" = 1'-0"



FLOOR PLAN
SCALE 1/4" = 1'-0"

Casa Uber Alles 6.0
Fredericksburg High School
Fredericksburg, TX 78624

design visions
unique residential design
830. 992. 3640 www.designvisions.tx.com




Copyright © 2021 All Rights Reserved. These designs/drawings are the sole property of design visions of Austin and may not be reproduced in any form, by any method, for any purpose without previous written permission.

PROJECT:
Casa Uber Alles
6.0
A-1
1 of 2
date: 8.30.21
project #: 21085

GENERAL ELECTRICAL NOTES:

- 1.0 ALL WORK DONE UNDER THIS SECTION SHALL COMPLY WITH THE CURRENT NATIONAL ELECTRICAL CODE AND LOCAL CODE REGULATIONS. THE CONTRACTOR SHALL PERFORM ALL WORK IN CONFORMANCE WITH THESE REGULATIONS WHETHER OR NOT SUCH WORK IS SPECIFICALLY SHOWN ON DRAWINGS.
- 2.0 ELECTRICAL SUBCONTRACTOR TO MAKE ALL NECESSARY ELEC. CONNECTIONS AND BE RESPONSIBLE FOR ALL ELECTRICAL SERVICE AT MECHANICAL ROOM. ELECTRICAL CONTRACTOR TO COORDINATE AS REQUIRED WITH MECHANICAL SUBCONTRACTOR.
- 3.0 THE ELECTRICAL CONTRACTOR SHALL COORDINATE HIS WORK WITH THE WORK OF OTHER TRADES AND HAVE HIS WORK SCHEDULED SO AS NOT TO DELAY THE WORK OF OTHERS.
- 4.0 THE CONTRACTOR SHALL BE RESPONSIBLE FOR INSPECTION AND APPROVAL OF WIRING, INSTALLATION OF FIXTURES AND EQUIPMENT, AND FOR FINAL ACCEPTANCE OF THE COMPLETE ELECTRICAL INSTALLATIONS BY THE UNDERWRITERS AND BY LOCAL ELECTRICAL INSPECTORS.
- 5.0 COORDINATE WITH CONSTRUCTION SPECIFICATIONS FOR ANY APPLICABLE ALLOWANCES FOR ELECTRICAL.
- 6.0 ALL RECESSED DOWNLIGHTS TO BE THERMAL RATED AND INCLUDED IN BASE BID WITH TRIM RINGS AS SPECIFIED BY INTERIOR DESIGNER/OWNER TO MATCH ADJACENT FINISH. PROVIDE SAMPLE OF FINISH FOR APPROVAL PRIOR TO PURCHASE.
- 7.0 ALL SWITCHES TO BE @ 3'-0" A.F.F. TO CENTER LINE OF SWITCH PLATE UNLESS NOTED OTHERWISE.
- 8.0 PREWIRE FOR SECURITY SYSTEM PER OWNER'S REQUEST.
- 9.0 GANG ALL SWITCHES AND OUTLETS WHERE POSSIBLE.
- 10.0 VERIFY LOCATION OF & TYPE OF POWER TO ALL APPLIANCES.
- 11.0 OUTLETS WITHIN 36" OF A SINK OR LAVATORY TO BE ON A G.F.I. CIRCUIT. ADDITIONAL GFI AS REQUIRED BY CODE.
- 12.0 NO SWITCHES TO BE WITHIN 5'-0" OF A TUB OR SHOWER.
- 13.0 HEIGHT OF OUTLETS FROM FLOOR TO CENTER LINE OF OUTLET TO BE 12" TYPICAL UNLESS NOTED OTHERWISE.
- 14.0 LOCATION OF ALL FLOOR OUTLETS & FLOOR PHONE OUTLETS TO BE VERIFIED BY OWNER.
- 15.0 PROVIDE PHONE & CATV OUTLETS PER PLAN OR PER OWNER'S REQUEST.
- 16.0 NOTE TO SUBCONTRACTOR: CENTER LIGHT OVER PEDESTAL LAV. WHERE SHOWN.
- 17.0 SUPPLY 220V & 110V OR GAS & 110V TO HVAC UNIT(S) IN ATTIC. (REFER TO SPECS) PROVIDE POWER AS REQ'D. AT A/C COMPRESSOR UNITS.
- 18.0 PROVIDE FOR LIGHT NEAR HVAC UNIT(S) IN ATTIC.
- 19.0 PROVIDE 2" GROMMET AT ALL KNEE SPACES OF DESKS FOR CORD & CABLE ACCESS TO PLUGS BELOW. PROVIDE GROMMETS AS REQ'D. FOR CABLES & ENTERTAINMENT CENTERS, MEDIA CENTERS & AUDIO/VIDEO CENTERS.
- 20.0 MEDIA COMBINATION OUTLET(S) TO PROVIDE CONNECTIONS FOR ELECTRICAL & VARIOUS MEDIA/TELECOMMUNICATIONS SYSTEMS.
- 21.0 PROVIDE BLOCKING FOR CEILING FANS WHERE SPECIFIED.
- 22.0 PROVIDE FOR MOTION SENSORS AT ALL GARAGE DOORS WITH OPENERS.
- 23.0 PROVIDE ELECTRIC FOR POOL & SPA EQUIP. & LIGHTS. PROVIDE ELECTRIC AND SWITCHING FOR LANDSCAPE LIGHTING, FOUNTAINS, ETC. VERIFY LOCATION WITH BUILDER OR OWNER.
- 24.0 SMOKE DETECTORS SHOULD BE LOCATED IN EACH BEDROOM AND AS SHOWN. ALL SMOKE DETECTORS SHALL BE HARD WIRED TO PRIMARY ELECTRICAL SERVICES WITH BATTERY BACKUP.
- 25.0 ARC-FAULT PROTECTION REQUIRED IN ALL HABITABLE AREAS (WITH THE EXCEPTION OF BATHROOMS, KITCHEN, & LAUNDRY).
- 26.0 ALL RECEPTACLE OUTLETS MUST BE LISTED TAMPER RESISTANT.




ELECTRICAL PLAN
SCALE 1/4" = 1'-0"

ELECTRICAL LEGEND

- | | |
|---------------------------------|-------------------------------------|
| SWITCH | CEILING MOUNTED FIXTURE |
| SWITCH - 3 WAY | RECESSED CAN LIGHT |
| SWITCH - 4 WAY | RECESSED CAN LIGHT WATERPROOF |
| SWITCH - DIMMER | EYEBALL SPOTLIGHT |
| SWITCH - GFI | WALL MOUNT FIXTURE |
| ALL WET AREA SWITCHES TO BE GFI | FLOOR LIGHT |
| SWITCH - WATERPROOF | UNDER CABINET LT. (TYPE PER SPECS.) |
| PHONE OUTLET - FAX | TRACK LIGHT |
| PHONE OUTLET | FLOOD LIGHT (SHIELDS) |
| FLX. PHONE OUTLET | VENT/LIGHT COMBO |
| FLOOR OUTLET | VENT/LIGHT/HEAT COMBO |
| TELEVISION OUTLET | HEAT LITE |
| PUSHBUTTON FOR GAR. DR. OPENER | VENT/EXHAUST |
| JUNCTION BOX | LOW-VOLT. HALOGEN |
| OUTLET - 110V DUPLEX | GAS VALVE |
| OUTLET - 110V QUADPLEX | GAS KEY |
| OUTLET - 110V WATERPROOF | RISER LITE (RCS/CD) |
| OUTLET - 220V | COMBINATION MEDIA OUTLET |
| SPLIT WIRE FOR SWITCH PLUG | CATV S CONNECTION |
| SWITCH TOP PLUG ONLY | ELEC. PANEL |
| EXT. DOOR BELL | LOW-VOLT. DIRECTIONAL SPOT |
| CHIMES | LOW-VOLT. PENDANT SPOT |
| THERMOSTAT | MINIFLOOD LIGHT |
| SMOKE DETECTOR | |
| INTERCOM/SPEAKER | |
| CARBON MONOXIDE DETECTOR | |
| HEAT DETECTOR | |
| LOW-VOLT. UPLITE | |
| LOW-VOLT. PENDANT SPOT | |
| WALLWASH FIXTURE | |
| SPEAKER | |
| SMOKE/CARBON MONOXIDE DETECTOR | |
| CLG. FAN W/ LIGHT KIT | CEILING FAN (WITHOUT LIGHT KIT) |

GENERAL INT. ELEV. NOTES

- 1.0 WIDTH DIMENSIONS ARE APPROXIMATE. MEASURE ON SITE FOR EXACT WIDTH OF CABINET AREAS.
- 2.0 STANDARD STILES BETWEEN DOORS & DRAWERS ARE SHOWN. CHECK WITH CONTRACTOR FOR EXACT STILE PLACEMENT & WIDTH.
- 3.0 VERIFY CABINETS AND CABINET STYLE(S) WITH OWNER, INTERIOR DESIGNER OR BUILDER. STANDARD DOORS & DRAWERS ARE SHOWN. CHECK WITH CONTRACTOR FOR EXACT DOOR & DRAWER PLACEMENT, FRONTS & HARDWARE.
- 4.0 SHELVES ARE SPACED EQUALLY UNLESS NOTED. ADJUSTABLE SHELVES IN ALL CABINET LOCATIONS, EXCEPT WHERE NOTED AS fixed OR GIVEN A SPECIFIC HEIGHT.
- 5.0 LAVATORIES AND SINKS SHOWN ARE NOT ACTUAL FIXTURE. CHECK WITH BUILDER/DESIGNER/OWNER FOR ACTUAL FIXTURE STYLE AND SIZE.
- 6.0 APPLIANCE DIMENSIONS MAY VARY. CHECK WITH BUILDER FOR EXACT DIMENSIONS.
- 7.0 PROVIDE VENT HOLES AS REQUIRED FOR AIR CIRCULATION OF IN-CABINET COMPUTER EQUIPMENT.
- 8.0 PROVIDE 2" GROMMET AT ALL KNEE SPACES OF DESKS FOR CORD & CABLE ACCESS TO PLUGS BELOW.
- 9.0 PROVIDE GROMMETS AS REQ'D. FOR CABLES AT ENTERTAINMENT CENTERS, MEDIA CENTERS &/OR AUDIO/VIDEO CENTERS.
- 10.0 CABINET CONTRACTOR TO PROVIDE AND INSTALL END PANELS TO MATCH CABINET FACE DESIGNS. PROVIDE AT ALL END PANEL LOCATIONS AND AT ALL WALL FRONTS AT fixed BAR LOCATIONS. PROVIDE MATCHING OR PER DESIGNER SELECTION BULKHEADS AS REQUIRED FOR STURDY TOP SUPPORT.
- 11.0 TOP & SPLASH MATERIAL AT ALL CABINETS TO BE AS PER SPECS.
- 12.0 CROWN MOLDING, INTERIOR WINDOW/DOOR TRIM, BASEBOARD & TILE SHOWN TO BE PER OWNER &/OR INTERIOR DESIGNER.
- 13.0 SPECIALTY CABINETS, HARDWARE, AND/OR ACCESSORIES TO BE COORDINATED BETWEEN DESIGNER, OWNER & SUBCONTRACTOR AS REQUIRED.



INTERIOR ELEVATIONS
SCALE 3/8" = 1'-0"

design visions
unique residential design

Copyright © 2021 All Rights Reserved. These designs/drawings are the sole property of design visions of architecture and may not be reproduced in any form, by any method, for any purpose without previous written permission.

PROJECT:
Casa Uber Alles
6.0

A-2
2 of 2

date: 8.30.21
project #: 21085